


Manual Call Point Accessories

Series HME



- Protective cover red/blue/yellow/green/grey/orange/white
- Protection kit for upgrading the protection class to IP54
- Manual call point in protection class IP65
- Protection cover
- Keys
- Replacement glass panes



Protective cover

The robust protective cover made of stainless steel is used as addition to manual call points that are used under harsh environmental conditions. The cover offers protection from rainwater that hits the manual call point from above or at the side, and provides additional mechanical protection. The cables can be entered into the manual call point from the back or from below. In conjunction with the optional Protection Kit IP54, optimum protection is achieved.

The protective cover is available in red, blue, yellow, green, grey, orange and white to match the manual call points.



Specifications

| | |
|----------------------|---------------------|
| Dimensions W x H x D | 130 x 145 x 55 (mm) |
| Weight | 250g |

Protective cover red

| | |
|--------------|--|
| Colour | red, similar to RAL 3000 |
| Order number | 249633 |
| Order name | Protective Cover V2A for MCP/red WG/ROTE-1 |

Building Safety. Building Security.



Protective cover blue

| | |
|--------------|---|
| Colour | blue, similar to RAL 5015 |
| Order number | 249634 |
| Order name | Protective Cover V2A for MCP/blue WG/BLAU-E-1 |

Protective cover yellow

| | |
|--------------|---|
| Colour | yellow, similar to RAL 1021 |
| Order number | 249636 |
| Order name | Protective Cover V2A for MCP/yellow WG/GELB-E-1 |

Protective cover green

| | |
|--------------|---|
| Colour | green, similar to RAL 6002 |
| Order number | 249694 |
| Order name | Protective Cover V2A for MCP/green WG/GRÜNE-1 |

Protective cover grey

| | |
|--------------|---|
| Colour | grey, similar to RAL 7035 |
| Order number | 249695 |
| Order name | Protective Cover V2A for MCP/grey WG/GRAU-E-1 |

Protective cover orange

| | |
|--------------|---|
| Colour | orange, similar to RAL 2011 |
| Order number | 249691 |
| Order name | Protective Cover V2A for MCP/orange WG/ORANGE-E-1 |

Protective cover white


| | |
|--------------|---|
| Colour | white, similar to RAL 9016 |
| Order number | 249696 |
| Order name | Protective Cover V2A for MCP/white WG/WEISS-E-1 |

Protection class IP54 and IP65

The standard versions of the Manual Call Points Series HME have protection class IP43. The Protection Kit HME-ZS-IP54 allows you to increase the protection class of the manual call points to IP54 in next to no time. The accessory kit consists of gasket elements, two plastic cable glands M20×1.5, small parts and the mounting instructions.

For use under harsh environmental conditions, the manual call points are also available with protection class IP65.

The most important manual call point types in protection class IP65 are available as stock goods. Other versions are also available with protection class IP65 on request.



Building Safety. Building Security.

LST

Specifications

Accessory kit for protection class IP54

| | |
|--------------|---|
| Order number | 249670 |
| Order name | Protection Kit IP54 for MCP HME-ZS-IP54 |

Factory upgrade to protection class IP65

| | |
|--------------|--|
| Order number | 249674 |
| Order name | Factory Upgrade IP65 for MCP HME-ZS-IP65 |

Protection cover

The Protection Cover E-COVER/OAL/WS is made of crystal-clear plastic and is used to protect a Manual Call Point Series HME or HFM/HM against mechanical damage – for example in sports halls.

The manual call point can be activated after lifting the upper part of the outer housing.



Specifications

| | |
|----------------------|---|
| Dimensions W x H x D | 176 x 246 x 53 (mm) |
| Weight | 650 g |
| Order number | 249721 |
| Order name | Protection Cover HME/HFM E-COVER/OAL/WS |

Cover frame

The cover frame allows custom-fit integration of a Manual Call Point Series HME in the front of a Fire Brigade

Orientation Panel FOT950-2, a Fire Brigade Information Centre FIZE3-1 or a wall-mounted fire hydrant.

Specifications

| | |
|----------------------|----------------------------|
| Dimensions W x H x D | 158 x 158 x 1.5 (mm) |
| Colour | red, similar to RAL 3000 |
| Weight | 70g |
| Order number | 268017 |
| Order name | Cover Frame for HME BR-HME |

Building Safety. Building Security.

LST

Keys

The standard keys SCHL-HME are used for opening the doors of various components of fire alarm technology, such as manual call points, Fire Brigade Control Unit FBF58-x, Key Safe Control Unit SZG850-1 as well as

Fire Brigade Map Box FWP-3 and Fire Brigade Information Centre FIZE3-1. The keys are available in packing units of 5, 10 or 100 pieces.

Specifications

5 pieces

| | |
|--------------|---|
| Order number | 249683 |
| Order name | Key for Manual Call Point SU=5 SCHL-HME/5 |

10 pieces

| | |
|--------------|--|
| Order number | 249687 |
| Order name | Key for Manual Call Point SU=10 SCHL-HME/10STK |

100 pieces

| | |
|--------------|--|
| Order number | 249688 |
| Order name | Key for Manual Call Point SU=100 SCHL-HME/100STK |

Replacement glass panes

The replacement glass without marking is required for Manual Call Points Series HFM, Series HM and Se-

ries HME. The glass panes are available in packing units of 10 or 50 pieces.

Specifications

| | |
|----------------------|--|
| Dimensions W x H x D | 80 x 80 x 0.9 (mm) |
| 10 pieces | |
| Order number | 249686 |
| Order name | Replacement Glass for HME SU=10 Pieces SCHEIBE-HME/10STK |
| 50 pieces | |
| Order number | 249692 |
| Order name | Replacement Glass for HME SU=50 Pieces SCHEIBE-HME/50STK |

Special designation

If required, the labelling of a Manual Call Point Series HME can be chosen freely. The desired text has to be specified when ordering.

One sheet contains 10 labelling tags. Each tag can have a different text.

Specifications

| | |
|--------------|--|
| Order number | 249675 |
| Order name | Special Designation HME/Sheet-10pcs. HME-BESCH-BOG |

Building Safety. Building Security.

